CONTENTS

Volume 111 Number 1 2007

1 ***Mycological Research* News**
In this issue; Editorial; Mating factors in smuts on cereals; *Ganoderma*: efficacy *vs* tradition; New scientific names in this issue

Presidential address

3 Geomycology: biogeochemical transformations of rocks, minerals, metals and radionuclides by fungi, bioweathering and bioremediation
G. M. GADD

Papers

51 Diversity of mycorrhizal fungi of terrestrial orchids: compatibility webs, brief encounters, lasting relationships and alien invasions
Y. BONNARDEAUX, M. BRUNDRETT, A. BATTY, K. DIXON, J. KOCH & K. SIVASITHAMPARAM

62 Connection of *Gnomonia intermedia* to *Discula betulina* and its relationship to other taxa in *Gnomoniaceae*
S. GREEN & L. A. CASTLEBURY

70 Development and dehiscence of the cephalothecoid peridium in *Aporothielavia leptoderma* shows it belongs in *Chaetomidium*
M. D. GREIF & R. S. CURRAH

78 Molecular karyotyping and chromosome length polymorphism in *Cochliobolus sativus*
S. ZHONG & B. J. STEFFENSON

87 Effects of carbon concentration and carbon to nitrogen ratio on the growth and sporulation of several biocontrol fungi
L. GAO, M. H. SUN, X. Z. LIU & Y. S. CHE

93 *Colletotrichum sublineolum* genetic instability assessed by mutants resistant to chlorate
L. CECÍLIA DE LIMA FÁVARO, W. LUIZ ARAÚJO, E. APARECIDA DE SOUZA-PACCOLA, J. LÚCIO AZEVEDO & L. D. PACCOLA-MEIRELLES

106 A new species of *Cladophialophora* (hyphomycetes) from boreal and montane bryophytes
M. L. DAVEY & R. S. CURRAH

Guidelines for authors

117 *Mycological Research*: instructions and guidelines for authors
D. L. HAWKSWORTH

Volume 111 Number 2 2007

127 ***Mycological Research* News**
In this issue; Secrets of biotrophic smut; Red list of threatened British fungi; Origins of gene-clusters producing beta-lactam antibiotics; A lower limit for fungal biodiversity; New scientific names in this issue

Review

129 Preservation of *Chytridiomycota* in culture collections
F. H. GLEASON, S. E. MOZLEY-STANDRIDGE, D. PORTER, D. G. BOYLE & A. D. HYATT

Articles

137 Molecular phylogeny and new taxa in the *Archaeosporales* (*Glomeromycota*): *Ambispora fennica* gen. sp. nov., *Ambisporaceae* fam. nov., and emendation of *Archaeospora* and *Archaeosporaceae*
C. WALKER, M. VESTBERG, F. DEMIRCIK, H. STOCKINGER, M. SAITO, H. SAWAKI, I. NISHMURA & A. SCHÜßLER

154 Marine fungal lineages in the *Hypocreomycetidae*
C. L. SCHOCH, G.-H. SUNG, B. VOLKMANN-KOHLMEYER, J. KOHLMEYER & J. W. SPATAFORA

163 Evolutionary relationships among species of *Puccinia* and *Uromyces* (*Pucciniaceae, Uredinales*) inferred from partial protein coding gene phylogenies
M. VAN DER MERWE, L. ERICSON, J. WALKER, P. H. THRALL & J. J. BURDON

176 Polyphyly and two emerging lineages in the rust genera *Puccinia* and *Uromyces*
W. MAIER, B. D. WINGFIELD, M. MENNICKEN & M. J. WINGFIELD

186 Molecular phylogeny of *Hyphoderma* and the reinstatement of *Peniophorella*
K.-H. LARSSON

196 Polyphasic approach to the taxonomy of the *Rhizopus stolonifer* group
G.-Y. LIOU, S.-R. CHEN, Y.-H. WEI, F.-L. LEE, H.-M. FU, G.-F. YUAN & J. A. STALPERS

204 Comparison of ITS sequences from UK and North American sugar-beet powdery mildews and the designation of *Erysiphe betae*
S. A. FRANCIS, B. C. RODEN, M. J. ADAMS, J. WEILAND & M. J. C. ASHER

213 Genetic differentiation in *Pyrenophora teres* populations measured with AFLP markers
M. SERENIUS, O. MANNINEN, H. WALLWORK & K. WILLIAMS

224 *Daldinia decipiens* and *Entonaema cinnabarina* as fungal symbionts of *Xiphydria* wood wasps
P. ŠRŮTKA, S. PAŽOUTOVÁ & M. KOLAŘÍK

232 The 1.6 Mb chromosome carrying the avirulence gene *AvrPik* in *Magnaporthe oryzae* isolate 84R-62B is a chimera containing chromosome 1 sequences
C.-X. LUO, L.-F. YIN, K. OHTAKA & M. KUSABA

240 The contribution of surface waxes to pre-penetration growth of an entomopathogenic fungus on host cuticle
S. L. JARROLD, D. MOORE, U. POTTER & A. K. CHARNLEY

Book reviews

250 Plant pathology
D. L. HAWKSWORTH

Volume 111 Number 3 2007

253 ***Mycological Research* News**
In this issue; Mycorama: a mycological mecca; Nomenclatural clarifications in *Glomeromycota*; Lethal genes in yeast polyploids; *Mycological research*: dates of publication; New scientific names in this issue

Articles

257 The phylogenetic placement of *Ostropales* within *Lecanoromycetes* (*Ascomycota*) revisited
H. T. LUMBSCH, I. SCHMITT, R. LÜCKING, E. WIKLUND & M. WEDIN

268 Phylogenetic relationships of *Auriculoscypha* based on ultrastructural and molecular studies
T. K. A. KUMAR, G. J. CELIO, P. B. MATHENY, D. J. McLAUGHLIN, D. S. HIBBETT & P. MANIMOHAN

275 Molecular study of the genus *Astraeus*
C. PHOSRI, M. P. MARTÍN, P. SIHANONTH, A. J. S. WHALLEY & R. WATLING

287 A new fungal genus, *Teracosphaeria*, with a phialophora-like anamorph (*Sordariomycetes*, *Ascomycota*)
M. RÉBLOVÁ & K. A. SEIFERT

299 *Romellia* is congeneric with *Togninia*, and description of *Conidiotheca* gen. nov. for one species of this genus with polysporous asci
M. RÉBLOVÁ & L. MOSTERT

308 *Phytophthora austrocedrae* sp. nov., a new species associated with *Austrocedrus chilensis* mortality in Patagonia (Argentina)
A. G. GRESLEBIN, E. M. HANSEN & W. SUTTON

317 *Hypocrella panamensis* sp. nov. (*Clavicipitaceae*, *Hypocreales*): a new species infecting scale insects on *Piper carrilloanum* in Panama
M. S. TORRES, J. F. WHITE Jr. & J. F. BISCHOFF

324 Detection and quantification of *Entomophaga maimaiga* resting spores in forest soil using real-time PCR
L. A. CASTRILLO, L. THOMSEN, P. JUNEJA & A. E. HAJEK

332 Monoclonal antibodies for the detection of *Puccinia striiformis* urediniospores
P. SKOTTRUP, H. FRØKIÆR, S. HEARTY, R. O'KENNEDY, J. HEJGAARD, M. NICOLAISEN & A. F. JUSTESEN

339 Spatial and temporal patterns of morel fruiting
J. D. MIHAIL, J. N. BRUHN & P. BONELLO

347 Fungal endophytes of native *Gossypium* species in Australia
B. WANG, M. J. PRIEST, A. DAVIDSON, C. L. BRUBAKER, M. J. WOODS & J. J. BURDON

355 *In planta* selfing and oospore production of *Phytophthora cinnamomi* in the presence of *Acacia pulchella*
A. U. JAYASEKERA, J. A. McCOMB, B. L. SHEARER & G. E. St J. HARDY

363 The actin gene in *Paracoccidioides brasiliensis*: organization, expression and phylogenetic analyses
G. NIÑO-VEGA, C. PÉREZ-SILVA & G. SAN-BLAS

370 Molecular diversity of soil basidiomycete communities in northern-central New South Wales, Australia
D. J. MIDGLEY, J. A. SALEEBA, M. I. STEWART, A. E. SIMPSON & P. A. McGEE

Volume 111 Number 4 2007

379 ***Mycological Research* News**
In this issue; *Harpellales* in black flies (simuliids); Mini-host models for medically important fungi; Kinase regulation of mating in yeast; Erratum; New scientific names in this issue

Articles

381 Re-consideration of *Peronospora farinosa* infecting *Spinacia oleracea* as distinct species, *Peronospora effusa*
Y.-J. CHOI, S.-B. HONG & H.-D. SHIN

392 Phylogenetic relationships of *Nemania plumbea* sp. nov. and related taxa based on ribosomal iTS and RPB2 sequences
A. M. C. TANG, R. JEEWON & K. D. HYDE

403 *Xerocomus silwoodensis* sp. nov., a new species within the European *X. subtomentosus* complex
A. F. S. TAYLOR, A. E. HILLS, G. SIMONINI, J. A. MUÑOZ & U. EBERHARDT

409 Accelerated nrDNA evolution and profound AT bias in the medicinal fungus *Cordyceps sinensis*
Ø. STENSRUD, T. SCHUMACHER, K. SHALCHIAN-TABRIZI, I. B. SVEGÅRDEN & H. KAUSERUD

416 Intra-isolate heterogeneity of the ITS region of rDNA in *Pythium helicoides*
K. KAGEYAMA, M. SENDA, T. ASANO, H. SUGA & K. ISHIGURO

424 Mating systems in representatives of *Parmeliaceae*, *Ramalinaceae* and *Physciaceae* (*Lecanoromycetes*, lichen-forming ascomycetes)
R. HONEGGER & U. ZIPPLER

433 Diversity of viruses in *Cryphonectria parasitica* and *C. nitschkei* in Japan and China, and partial characterization of a new chrysovirus species
Y.-C. LIU, J. N. DYNEK, B. I. HILLMAN & M. G. MILGROOM

443 Characterization of necrosis and ethylene-inducing proteins (NEP) in the basidiomycete *Moniliophthora perniciosa*, the causal agent of witches' broom in *Theobroma cacao*
O. GARCIA, J. N. MACEDO, R. TIBÚRCIO, G. ZAPAROLI, J. RINCONES, L. M. C. BITTENCOURT, G. O. CEITA, F. MICHELI, A. GESTEIRA, A. C. MARIANO, M. A. SCHIAVINATO, F. J. MEDRANO, L. W. MEINHARDT, G. A. G. PEREIRA & J. C. M. CASCARDO

456 Isoforms of trehalase and invertase of *Fusarium oxysporum*
B. WOLSKA-MITASZKO, J. JAROSZUK-ŚCISEŁ & K. PSZENICZNA

466 Evaluation of the potential role of water in spread of conidia of the *Neotyphodium* endophyte of *Poa ampla*
M. TADYCH, M. BERGEN, F. M. DUGAN & J. F. WHITE

473 Interactions of sterile-cultured lichen-forming ascomycetes with asbestos fibres
S. E. FAVERO-LONGO, M. GIRLANDA, R. HONEGGER, B. FUBINI & R. PIERVITTORI

482 Basidiomycete fungal communities in Australian sclerophyll forest soil are altered by repeated prescribed burning
I. C. ANDERSON, B. A. BASTIAS, D. R. GENNEY, P. I. PARKIN & J. W. G. CAIRNEY

487 Separated components of root exudate and cytosol stimulate different morphologically identifiable types of branching responses by arbuscular mycorrhizal fungi
G. NAGAHASHI & D. DOUDS JR.

493 Argininosuccinate synthetase and argininosuccinate lyase: two ornithine cycle enzymes from *Agaricus bisporus*
M. J. M. WAGEMAKER, D. C. EASTWOOD, C. VAN DER DRIFT, M. S. M. JETTEN, K. BURTON, L. J. L. D. VAN GRIENSVEN & H. J. M. OP DEN CAMP

503 Evidence of mycoparasitism and hypermycoparasitism in early cretaceous amber
G. O. POINAR & R. BUCKLEY

Volume 111 Number 5 2007

507 ***Mycological Research* News**
In this issue; Higher level classification of *Fungi*; Climate change and mushroom fruiting; Oomycete Genetic Resources Collection established; New scientific names in this issue; Erratum

Articles

509 A higher-level phylogenetic classification of the *Fungi*
D. S. HIBBETT, M. BINDER, J. F. BISCHOFF, M. BLACKWELL, P. F. CANNON, O. E. ERIKSSON, S. HUHNDORF, T. JAMES, P. M. KIRK, R. LÜCKING, T. LUMBSCH, F. LUTZONI, P. B. MATHENY, D. J. MCLAUGHLIN, M. J. POWELL, S. REDHEAD, C. L. SCHOCH, J. W. SPATAFORA, J. A. STALPERS, R. VILGALYS, M. C. AIME, A. APTROOT, R. BAUER, D. BEGEROW, G. L. BENNY, L. A. CASTLEBURY, P. W. CROUS, Y.-C. DAI, W. GAMS, D. M. GEISER, G. W. GRIFFITH, C. GUEIDAN, D. L. HAWKSWORTH, G. HESTMARK, K. HOSAKA, R. A. HUMBER, K. HYDE, J. E. IRONSIDE, U. KÕLJALG, C. P. KURTZMAN, K.-H. LARSSON, R. LICHTWARDT, J. LONGCORE, J. MIĄDLIKOWSKA, A. MILLER, J.-M. MONCALVO, S. MOZLEY-STANDRIDGE, F. OBERWINKLER, E. PARMASTO, V. REEB, J. D. ROGERS, C. ROUX, L. RYVARDEN, J. P. SAMPAIO, A. SCHÜSSLER, J. SUGIYAMA, R. G. THORN, L. TIBELL, W. A. UNTEREINER, C. WALKER, Z. WANG, A. WEIR, M. WEISS, M. M. WHITE, K. WINKA, Y.-J. YAO & N. ZHANG

549 A phylogenetic overview of the family *Pyronemataceae* (*Ascomycota*, *Pezizales*)
B. A. PERRY, K. HANSEN & D. H. PFISTER

572 *Arthromyces* and *Blastosporella*, two new genera of conidia-producing lyophylloid agarics (*Agaricales*, *Basidiomycota*) from the neotropics
T. J. BARONI, A. E. FRANCO-MOLANO, D. J. LODGE, D. L. LINDNER, E. HORAK & V. HOFSTETTER

581 Molecular phylogeny of the genus *Lecania* (*Ramalinaceae*, lichenized *Ascomycota*)
R. R. NÆSBORG, S. EKMAN & L. TIBELL

592 Anatomy and cytology of *Taphrina entomospora* during infection of *Nothofagus*
P. V. HANSEN, M. V. BIANCHINOTTI & M. RAJCHENBERG

599 The enigmatic *Squamanita odorata* (*Agaricales*, Basidiomycota) is parasitic on *Hebeloma mesophaeum*
N. MONDIET, M.-P. DUBOIS & M.-A. SELOSSE

603 Molecular characterization of strawberry pathogen *Gnomonia fragariae* and its genetic relatedness to other *Gnomonia* species and members of *Diaporthales*
I. MOROČKO & J. FATEHI

615 Identification of two group A chitinase genes in *Botrytis cinerea* which are differentially induced by exogenous chitin
M. CHOQUER, H. F. BECKER & A. VIDAL-CROS

626 The protective effect of selenium inorganic forms against cadmium and silver toxicity in mycelia of *Pleurotus ostreatus*
A. H. SERAFÍN MUÑOZ, K. WROBEL, J. F. GUTIERREZ CORONA & K. WROBEL

Volume 111 Number 6 2007

633 ***Mycological Research* News**
In this issue; Assembling the Fungal Tree of Life; Erratum

Review

635 Medicinal importance of fungal β-(1→3), (1→6)-glucans
J. CHEN & R. SEVIOUR

Articles

653 The phylogenetic placement of the *Leucogastrales*, including *Mycolevis siccigleba* (*Cribbeaceae*), in the *Albatrellaceae* using morphological and molecular data
S. ALBEE-SCOTT

663 Phylogeographic patterns in *Leccinum* sect. *Scabra* and the status of the arctic-alpine species *L. rotundifoliae*
H. C. DEN BAKKER, G. C. ZUCCARELLO, T. W. KUYPER & M. E. NOORDELOOS

673 Molecular and morphological characterization of *Leveillula* (*Ascomycota*: *Erysiphales*) on monocotyledonous plants
S. A. KHODAPARAST, S. NIINOMI & S. TAKAMATSU

680 *Margaretbarromyces dictyosporus* gen. sp. nov.: a permineralized corticolous ascomycete from the Eocene of Vancouver Island, British Columbia
R. A. MINDELL, R. A. STOCKEY, G. BEARD & R. S. CURRAH

685 The arachiform vacuolar body: an overlooked shared character in the ascospores of a large monophyletic group within *Parmeliaceae* (*Xanthoparmelia* clade, *Lecanorales*)
R. DEL PRADO, Z. FERENCOVÁ, V. ARMAS-CRESPO, G. AMO DE PAZ, P. CUBAS & A. CRESPO

693 The type species of *Apiognomonia*, *A. veneta*, with its *Discula* anamorph is distinct from *A. errabunda*
M. V. SOGONOV, L. A. CASTLEBURY, A. Y. ROSSMAN & J. F. WHITE

710 Comparative studies on the diversity of the edible mushroom *Pleurotus eryngii*: ITS sequence analysis, RAPD fingerprinting, and physiological characteristics
H.-S. RO, S. S. KIM, J. S. RYU, C.-O. JEON, T. S. LEE & H.-S. LEE

716 AFLP and single-strand conformation polymorphism studies of recombination in the entomopathogenic fungus *Nomuraea rileyi*
U. K. DEVI, A. REINEKE, U. C. M. RAO, N. R. N. REDDY & A. P. A. KHAN

726 Detection of 'long-haired' *Saprolegnia* (*S. parasitica*) isolates using monoclonal antibodies
J. M. FREGENEDA-GRANDES, F. RODRÍGUEZ-CADENAS, M. T. CARBAJAL-GONZÁLEZ & J. M. ALLER-GANCEDO

734 Impact of active soil carbonate and burn size on the capacity of the rockrose *Cistus laurifolius* to produce *Tuber melanosporum* carpophores in truffle culture
L. G. GARCÍA-MONTERO, M. Á. CASERMEIRO, J. L. MANJÓN & I. HERNANDO

740 Inoculum production and long-term conservation methods for cucurbits and tomato powdery mildews
M. BARDIN, M. E. SULIMAN, A.-M. SAGE-PALLOIX, Y. F. MOHAMED & P. C. NICOT

748 Inoculation of coffee plants with the fungal entomopathogen *Beauveria bassiana* (*Ascomycota*: *Hypocreales*)
F. POSADA, M. C. AIME, S. W. PETERSON, S. A. REHNER & F. E. VEGA

Volume 111 Number 7 2007

759 ***Mycological Research* News**
In this issue; *Mycological Research* Impact factor jumps up again; Fungal Biology Reviews launched; Speciation through adaptation and reproductive isolation in *Saccharomyces cerevisiae*; Endophytic fungi as inhibitors of leaf miners; New scientific names in this issue

Articles

761 Molecular and morphological discrimination of stipitate hydnoids in the genera *Hydnellum* and *Phellodon*
D. PARFITT, A. MARTYN AINSWORTH, D. SIMPSON, H. J. ROGERS & L. BODDY

778 Pronounced ecological separation between two closely related lineages of the polyporous fungus *Gloeoporus taxicola*
H. KAUSERUD, T. H. HOFTON & G.-P. SÆTRE

787 The genus *Lactarius* in Madagascar
B. BUYCK, A. VERBEKEN & U. EBERHARDT

799 Speciation in *Pyricularia* inferred from multilocus phylogenetic analysis
K. HIRATA, M. KUSABA, I. CHUMA, J. OSUE, H. NAKAYASHIKI, S. MAYAMA & Y. TOSA

809 Phylogeny and taxonomy of the oak powdery mildew *Erysiphe alphitoides sensu lato*
S. TAKAMATSU, U. BRAUN, S. LIMKAISANG, S. KOM-UN, Y. SATO & J. H. CUNNINGTON

827 Evidence for recombination and segregation of virulence to pine in a hybrid cross between *Gibberella circinata* and *G. subglutinans*
C. J. FRIEL, A. E. DESJARDINS, S. C. KIRKPATRICK & T. R. GORDON

832 Characterization of *Fusarium circinatum* from *Pinus* spp. in Northern Spain
A. PÉREZ-SIERRA, E. LANDERAS, M. LEÓN, M. BERBEGAL, J. GARCÍA-JIMÉNEZ & J. ARMENGOL

840 Molecular cloning and expression analysis of two distinct β-glucosidase genes, *bg1* and *aven1*, with very different biological roles from the thermophilic, saprophytic fungus *Talaromyces emersonii*
C. M. COLLINS, P. G. MURRAY, S. DENMAN, J. P. MORRISSEY, L. BYRNES, T. T. TEERI & M. G. TUOHY

850 *Cadophora finlandia* and *Phialocephala fortinii*: *Agrobacterium*-mediated transformation and functional GFP expression
M. GORFER, S. KLAUBAUF, D. BANDIAN & J. STRAUSS

856 Response of nematode-trapping fungi to organic substrates in a coastal grassland soil
V. L. NGUYEN, J. L. BASTOW, B. A. JAFFEE & D. R. STRONG

863 Protostelids from deciduous forests: first data from southwestern Europe
M. AGUILAR, C. LADO & F. W. SPIEGEL

Volume 111 Number 8 2007

873 ***Mycological Research* News**
In this issue; Forthcoming international mycological meetings; Contacting the senior editor; New scientific names in this issue

Articles

875 Chitosan-mediated changes in cell wall composition, morphology and ultrastructure in two wood-inhabiting fungi
D. VESENTINI, D. STEWARD, A. P. SINGH, R. BALL, G. DANIEL & R. FRANICH

891 Genetic variation and pathogenicity of anastomosis group 2 isolates of *Rhizoctonia solani* in Australia
B. J. STODART, P. R. HARVEY, S. M. NEATE, D. L. MELANSON & E. S. SCOTT

901 Identification of PaPKS1, a polyketide synthase involved in melanin formation and its use as a genetic tool in *Podospora anserina*
E. COPPIN & P. SILAR

909 The role of ornithine aminotransferase in fruiting body formation of the mushroom *Agaricus bisporus*
M. J. M. WAGEMAKER, D. C. EASTWOOD, J. WELAGEN, C. VAN DER DRIFT, M. S. M. JETTEN, K. BURTON, L. J. L. D. VAN GRIENSVEN & H. J. M. OP DEN CAMP

919 The genus *Setulipes* (*Marasmiaceae*) in Madagascar and the Mascarenes, including a key to other African taxa
V. ANTONÍN & B. BUYCK

926 Histological and ultrastructural features of gastrointestinal basidiobolomycosis
M. R. HUSSEIN, A. O. MUSALAM, M. H. ASSIRY, R. A. EID, A.-M. EL MOTAWA & A.-M. GAMEL

931 Phosphate solubilization potential and stress tolerance of *Eupenicillium parvum* from tea soil
P. VYAS, P. RAHI, A. CHAUHAN & A. GULATI

939 Proteome analysis of an ectomycorrhizal fungus *Boletus edulis* under salt shock
Y. LIANG, H. CHEN, M. TANG & S. SHEN

947 Factors affecting the occurrence and distribution of entomopathogenic fungi in natural and cultivated soils
E. QUESADA-MORAGA, J. A. NAVAS-CORTÉS, E. A. A. MARANHAO, A. ORTIZ-URQUIZA & C. SANTIAGO-ÁLVAREZ

967 Determination of the trichothecene mycotoxin chemotypes and associated geographical distribution and phylogenetic species of the *Fusarium graminearum* clade from China
J.-B. ZHANG, H.-P. LI, F.-J. DANG, B. QU, Y.-B. XU, C.-S. ZHAO & Y.-C. LIAO

976 Cell wall α-1,3-glucans from a biocontrol isolate of *Rhizoctonia*: immunocytolocalization and relationship with α-glucanase activity from potato sprouts
E. WOLSKI, S. MALDONADO, G. DALEO & A. ANDREU

985 Mating studies, new species, and new reports of *Marasmius* from northern Thailand
N. WANNATHES, D. E. DESJARDIN & S. LUMYONG

997 Book reviews

Volume 111 Number 9 2007

Special Issue: New Bottles for Old Wine

Introduction

999 New bottles for old wine: fruit body types, phylogeny, and classification
D. L. HAWKSWORTH & S. LAGRECA

Articles

1001 After the gold rush, or before the flood? Evolutionary morphology of mushroom-forming fungi (*Agaricomycetes*) in the early 21st century
D. S. HIBBETT

1019 Reconstructing the evolution of agarics from nuclear gene sequences and basidiospore ultrastructure
S. GARNICA, M. WEISS, G. WALTHER & F. OBERWINKLER

1030 Does secotioid inertia drive the evolution of false-truffles?
S. R. ALBEE-SCOTT

1040 Re-thinking the classification of corticioid fungi
K.-H. LARSSON

1064 Whatever happened to the pyrenomycetes and loculoascomycetes?
H. T. LUMBSCH & S. M. HUHNDORF

1075 Truffle trouble: What happened to the *Tuberales*?
T. LÆSSØE & K. HANSEN

1100 A reassessment of cleistothecia as a taxonomic character
A. M. STCHIGEL & J. GUARRO

1116 Trouble with lichen: the re-evaluation and re-interpretation of thallus form and fruit body types in the molecular era
M. GRUBE & D. L. HAWKSWORTH

1133 Ascus types are phylogenetically misleading in *Trapeliaceae* and *Agyriaceae* (*Ostropomycetidae, Ascomycota*)
H. T. LUMBSCH, I. SCHMITT, A. MANGOLD & M. WEDIN

Volume 111 Number 10 2007

1143 ***Mycological Research* News**
In this issue; Gene duplication and evolution in fungi; Lichens in space; New scientific names in this issue

Articles

1145 Using a multigene phylogenetic analysis to assess generic delineation and character evolution in *Verrucariaceae* (*Verrucariales*, *Ascomycota*)
C. GUEIDAN, C. ROUX & F. LUTZONI

1169 Revision of the genus *Absidia* (*Mucorales*, *Zygomycetes*) based on physiological, phylogenetic, and morphological characters; thermotolerant *Absidia* spp. form a coherent group, *Mycocladiaceae* fam. nov.
K. HOFFMANN, S. DISCHER & K. VOIGT

1184 Phylogenetic reassessment supports accommodation of *Phaeophleospora* and *Colletogloeopsis* from eucalypts in *Kirramyces*
V. ANDJIC, P. A. BARBER, A. J. CARNEGIE, G. St. J. HARDY, M. J. WINGFIELD & T. I. BURGESS

1199 *Flamingomyces* and *Parvulago*, new genera of marine smut fungi (*Ustilaginomycotina*)
R. BAUER, M. LUTZ, M. PIĄTEK, K. VÁNKY & F. OBERWINKLER

1207 Revision of some *Thecaphora* species (*Ustilaginomycotina*) on *Caryophyllaceae*
K. VÁNKY & M. LUTZ

1220 Interactions of *Neotyphodium gansuense*, *Achnatherum inebrians*, and plant-pathogenic fungi
C.-j. LI, J.-h. GAO & Z.-b. NAN

1228 Fatty acid profiles of polar and non-polar lipids of *Pleurotus ostreatus* and *P. cornucopiae* var. '*citrino-pileatus*' grown at different temperatures
K. PEDNEAULT, P. ANGERS, T. J. AVIS, A. GOSSELIN & R. J. TWEDDELL

1235 A new species of *Capnobotryella* from monument surfaces
H. (B). SERT, H. SÜMBÜL & K. STERFLINGER

1242 *Penicillium macrosclerotiorum*, a new species producing large sclerotia discovered in south China
L. WANG, X.-M. ZHANG & W.-Y. ZHUANG

Obituary

1249 Stephen Angus Hutchinson, 1914–2005: an appreciation
G. HADLEY

Volume 111 Number 11 2007

1253 ***Mycological Research* News**
In this issue; Phytochelatins and metal accumulation in mushrooms; Conidium attachment in aquatic hypomycetes; Delivery of oomycete effector proteins into host plant cells; New scientific names in this issue

Articles

1255 Rapid adhesion of *Stagonospora nodorum* spores to a hydrophobic surface requires pre-formed cell surface glycoproteins
L. J. NEWEY, C. E. CATEN & J. R. GREEN

1268 The polyphyletic nature of *Pleosporales*: an example from *Massariosphaeria* based on rDNA and RBP2 gene phylogenies
H.-K. WANG, A. APTROOT, P. W. CROUS, K. D. HYDE & R. JEEWON

1277 Phylogenetic studies in the *Candelariaceae* (lichenized *Ascomycota*) based on nuclear ITS DNA sequence data
M. WESTBERG, U. ARUP & I. KÄRNEFELT

1285 Species delimitation and phylogenetic relationships in *Lactarius* section *Deliciosi* in Europe
J. NUYTINCK & A. VERBEKEN

1298 Host range and diversity of the genus *Geosmithia* (*Ascomycota*: *Hypocreales*) living in association with bark beetles in the Mediterranean area
M. KOLAŘÍK, M. KOSTOVČÍK & S. PAŽOUTOVÁ

1311 Upper cortex anatomy corroborates phylogenetic hypothesis in species of *Physconia* (*Ascomycota, Lecanoromycetes*)
P. K. DIVAKAR, G. AMO DE PAZ, R. DEL PRADO, T. L. ESSLINGER & A. CRESPO

1321 Two new *Phytophthora* species from South African *Eucalyptus* plantations
B. MASEKO, T. I. BURGESS, T. A. COUTINHO & M. J. WINGFIELD

1339 Hyperaccumulation of silver by *Amanita strobiliformis* and related species of the section *Lepidella*
J. BOROVIČKA, Z. ŘANDA, E. JELÍNEK, P. KOTRBA & C. E. DUNN

1345 Defensive role of cystidia against *Collembola* in the basidiomycetes *Russula bella* and *Strobilurus ohshimae*
T. NAKAMORI & A. SUZUKI

1352 Mapping of *Pythium insidiosum* hyphal antigens and ultrastructural features using TEM
R. B. GARCIA, A. PASTOR & L. MENDOZA

1361 Book Reviews

Volume 111 Number 12 2007

1363 ***Mycological Research* News**
In this issue; Mycologists speak on nomenclatural issues; Diversity in basidiolichens;
New scientific names in this issue

Articles

1366 The *Peniophorella praetermissa* species complex (*Basidiomycota*)
N. HALLENBERG, R. H. NILSSON, A. ANTONELLI, S.-H. WU, N. MAEKAWA & B. NORDÉN

1377 A revision of *Plasmopara penniseti*, with implications for the host range of the downy mildews with pyriform haustoria
M. THINES, M. GÖKER, F. OBERWINKLER & O. SPRING

1386 *Tilletia vankyi*, a new species of reticulate-spored bunt fungus with non-conjugating basidiospores infecting species of *Festuca* and *Lolium*
L. M. CARRIS, L. A. CASTLEBURY, G. HUANG, S. C. ALDERMAN, J. LUO & X. BAO

1399 Molecular phylogenetic studies show *Omphalina giovanellae* represents a new section of *Clitopilus* (*Agaricomycetes*)
G. MORENO, M. CONTU, A. ORTEGA, G. PLATAS & F. PELÁEZ

1406 Ascomycetes on *Polytrichadelphus aristatus* (*Musci*)
P. DÖBBELER

1422 Physiological studies of the warehouse staining fungus, *Baudoinia compniacensis*
J. O. EWAZE, R. C. SUMMERBELL & J. A. SCOTT

1431 Ostreolysin enhances fruiting initiation in the oyster mushroom (*Pleurotus ostreatus*)
S. BERNE, J. POHLEVEN, I. VIDIC, K. REBOLJ, F. POHLEVEN, T. TURK, P. MAČEK, A. SONNENBERG & K. SEPČIĆ

1437 Saprotrophy of *Conidiobolus* and *Basidiobolus* in leaf litter
R. J. MANNING, S. D. WATERS & A. A. CALLAGHAN

1450 Isolation and characterization of some mycelia inhabiting *Tuber* ascomata
G. PACIONI, M. LEONARDI, P. AIMOLA, A. M. RAGNELLI, A. RUBINI & F. PAOLOCCI

Author Index Volume 111, 2007

Adams, M. J. *see* Francis, S. A. *et al.*
Aguilar, M., Lado C., Spiegel F. W. Protostelids from deciduous forests: first data from southwestern Europe. 863
Aime, M. C. *see* Hibbett, D. S. *et al.*
Aime, M. C. *see* Posada, F. *et al.*
Aimola, P. *see* Pacioni, G. *et al.*
Albee-Scott, S. R. Does secotioid inertia drive the evolution of false-truffles? 1030
Albee-Scott, S. The phylogenetic placement of the *Leucogastrales*, including *Mycolevis siccigleba* (*Cribbeaceae*), in the *Albatrellaceae* using morphological and molecular data . 653
Alderman, S. C. *see* Carris, L. M. *et al.*
Aller-Gancedo, J. M. *see* Fregeneda-Grandes, J. M. *et al.*
Amo De Paz, G. *see* Del Prado, R. *et al.*
Amo De paz, G. *see* Divakar, P. K. *et al.*
Anderson, I. C., Bastias B. A., Genney D. R., Parkin P. I., Cairney J. W. G. Basidiomycete fungal communities in Australian sclerophyll forest soil are altered by repeated prescribed burning 482
Andjic, V., Barber P. A., Carnegie A. J., Hardy G. S. J., Wingfield M. J., Burgess T. I. Phylogenetic reassessment supports accommodation of *Phaeophleospora* and *Colletogloeopsis* from eucalypts in *Kirramyces* 1184
Andreu, A. *see* Wolski, E. *et al.*
Angers, P. *see* Pedneault, K. *et al.*
Antonelli, A. *see* Hallenberg, N. *et al.*
Antonín, V., Buyck B. The genus *Setulipes* (*Marasmiaceae*) in Madagascar and the Mascarenes, including a key to other African taxa 919
Aparecida de Souza-Paccola, E. *see* Cecília de Lima Fávaro, L. *et al.*
Aptroot, A. *see* Hibbett, D. S. *et al.*
Aptroot, A. *see* Wang, H.-K. *et al.*
Armas-Crespo, V. *see* Del Prado, R. *et al.*
Armengol, J. *see* Pérez-Sierra, A. *et al.*
Arup, U. *see* Westberg, M. *et al.*
Asano, T. *see* Kageyama, K. *et al.*
Asher, M. J. C. *see* Francis, S. A. *et al.*
Assiry, M. H. *see* Hussein, M. R. *et al.*
Avis, T. J. *see* Pedneault, K. *et al.*

Ball, R. *see* Vesentini, D. *et al.*
Bandian, D. *see* Gorfer, M. *et al.*
Bao, X. *see* Carris, L. M. *et al.*
Barber, P. A. *see* Andjic, V. *et al.*
Bardin, M., Suliman M. E., Sage-palloix A.-M., Mohamed Y. F., Nicot P. C. Inoculum production and long-term conservation methods for cucurbits and tomato powdery mildews 740
Baroni, T. J., Franco-Molano A. E., Loćge D. J., Lindner D. L., Horak E., Hofstetter V. *Arthromyces* and *Blastosporella,* two new genera of conidia-producing lyophylloid agarics (*Agaricales*, *Basidiomycota*) from the neotropics 572
Bastias, B. A. *see* Anderson, I. C. *et al.*
Bastow, J. L. *see* Nguyen, V. *et al.*
Batty, A. *see* Bonnardeaux, Y. *et al.*
Bauer, R. *see* Hibbett, D. S. *et al.*
Bauer, R., Lutz M., Piątek M., Vánky K., Oberwinkler F. *Flamingomyces* and *Parvulago*, new genera of marine smut fungi (*Ustilaginomycotina*) 1199
Beard, G. *see* Mindell, R. A. *et al.*
Becker, H. F. *see* Choquer, M. *et al.*
Begerow, D. *see* Hibbett, D. S. *et al.*
Benny, G. L. *see* Hibbett, D. S. *et al.*
Berbegal, M. *see* Pérez-Sierra, A. *et al.*
Bergen, M. *see* Tadych, M. *et al.*
Berne, S., Pohleven J., Vidic I., Rebolj K., Pohleven F., Turk T., Maček P., Sonnenberg A., Sepčić K. Ostreolysin enhances fruiting initiation in the oyster mushroom (*Pleurotus ostreatus*) 1431
Bianchinotti, M. V. *see* Hansen, P. V. *et al.*
Binder, M. *see* Hibbett, D. S. *et al.*
Bischoff, J. F. *see* Hibbett, D. S. *et al.*
Bischoff, J. F. *see* Torres, M. S. *et al.*
Bittencourt, L. M. C. *see* Garcia, O. *et al.*
Blackwell, M. *see* Hibbett, D. S. *et al.*
Boddy, L. *see* Parfitt, D. *et al.*
Bonello, P. *see* Mihail, J. D. *et al.*
Bonnardeaux, Y., Brundrett M., Batty A., Dixon K., Koch J., Sivasithamparam K. Diversity of mycorrhizal fungi of terrestrial orchids: compatibility webs, brief encounters, lasting relationships and alien invasions 51
Borovička, J., Řanda Z., Jelínek E., Kotrba P., Dunn C. E. Hyperaccumulation of silver by *Amanita strobiliformis* and related species of the section *Lepidella*. 1339
Boyle, D. G. *see* Gleason, F. H. *et al.*
Braun, U. *see* Takamatsu, S. *et al.*
Brubaker, C. L. *see* Wang, B. *et al.*
Bruhn, J. N. *see* Mihail, J. D. *et al.*
Brundrett, M. *see* Bonnardeaux, Y. *et al.*
Buckley, R. *see* Poinar, G. O. *et al.*
Burdon, J. J. *see* van der Merwe, M. *et al.*
Burdon, J. J. *see* Wang, B. *et al.*
Burgess, T. I. *see* Andjic, V. *et al.*
Burgess, T. I. *see* Maseko, B. *et al.*
Burton, K. *see* Wagemaker, M. J. M. *et al.*
Buyck, B. *see* Antonín, V. *et al.*
Buyck, B., Verbeken A., Eberhardt U. The genus *Lactarius* in Madagascar 787
Byrnes, L. *see* Collins, C. M. *et al.*

Cairney, J. W. G. *see* Anderson, I. C. *et al.*
Callaghan, A. A. *see* Manning, R. J. *et al.*
Cannon, P. F. *see* Hibbett, D. S. *et al.*
Carbajal-González, M. T. *see* Fregeneda-Grandes, J. M. *et al.*
Carnegie, A. J. *see* Andjic, V. *et al.*
Carris, L. M., Castlebury L. A., Huang G., Alderman S. C., Luo J., Bao X. *Tilletia vankyi*, a new species of reticulate-spored bunt fungus with non-conjugating basidiospores infecting species of *Festuca* and *Lolium* 1386
Cascardo, J. C. M. *see* Garcia, O. *et al.*
Casermeiro, M. Á. *see* García-Montero, L. G. *et al.*
Castlebury, L. A. *see* Carris, L. M. *et al.*
Castlebury, L. A. *see* Green, S. *et al.*
Castlebury, L. A. *see* Hibbett, D. S. *et al.*
Castlebury, L. A. *see* Sogonov, M. V. *et al.*
Castrillo, L. A., Thomsen L., Juneja P., Hajek A. E. Detection and quantification of *Entomophaga maimaiga* resting spores in forest soil using real-time PCR 324
Caten, C. E. *see* Newey, L. J. *et al.*
Cecília de Lima Fávaro, L., Luiz Araújo W., Aparecida de Souza-Paccola E., Lúcio Azevedo J., Paccola-Meirelles L. D. *Colletotrichum sublineolum* genetic instability assessed by mutants resistant to chlorate 93

Ceita, G. O. *see* Garcia, O. *et al.*
Celio, G. J. *see* Kumar, T. K. A. *et al.*
Charnley, A. K. *see* Jarrold, S. A. *et al.*
Chauhan, A. *see* Vyas, P. *et al.*
Che, Y. S. *see* Gao, L. *et al.*
Chen, H. *see* Liang, Y. *et al.*
Chen, J., Seviour R. Medicinal importance of fungal β-(1→3), (1→6)-glucans 635
Chen, S.-R. *see* Liou, G.-Y. *et al.*
Choi, Y.-J., Hong S.-B., Shin H.-D. Re-consideration of *Peronospora farinosa* infecting *Spinacia oleracea* as distinct species, *Peronospora effusa* 381
Choquer, M., Becker H. F., Vidal-Cros A. Identification of two group A chitinase genes in *Botrytis cinerea* which are differentially induced by exogenous chitin 615
Chuma, I. *see* Hirata, K. *et al.*
Collins, C. M., Murray P. G., Denman S., Morrissey J. P., Byrnes L., Teeri T. T., Tuohy M. G. Molecular cloning and expression analysis of two distinct β-glucosidase genes, *bg1* and *aven1*, with very different biological roles from the thermophilic, saprophytic fungus *Talaromyces emersonii* 840
Contu, M. *see* Moreno, G. *et al.*
Coppin, E., Silar P. Identification of PaPKS1, a polyketide synthase involved in melanin formation and its use as a genetic tool in *Podospora anserina* 901
Coutinho, T. A. *see* Maseko, B. *et al.*
Crespo, A. *see* Del Prado, R. *et al.*
Crespo, A. *see* Divakar, P. K. *et al.*
Crous, P. W. *see* Hibbett, D. S. *et al.*
Crous, P. W. *see* Wang, H.-K. *et al.*
Cubas, P. *see* Del Prado, R. *et al.*
Cunnington, J. H. *see* Takamatsu, S. *et al.*
Currah, R. S. *see* Davey, M. L. *et al.*
Currah, R. S. *see* Greif, M. D. *et al.*
Currah, R. S. *see* Mindell, R. A. *et al.*

Dai, Y.-C. *see* Hibbett, D. S. *et al.*
Daleo, G. *see* Wolski, E. *et al.*
Dang, F.-J. *see* Zhang, J.-B. *et al.*
Daniel, G. *see* Vesentini, D. *et al.*
Davey, M. L., Currah R. S. A new species of *Cladophialophora* (hyphomycetes) from boreal and montane bryophytes . . 106
Davidson, A. *see* Wang, B. *et al.*
del Prado, R. *see* Divakar, P. K. *et al.*
Del Prado, R., Ferencová Z., Armas-Crespo V., Amo De Paz G., Cubas P., Crespo A. The arachiform vacuolar body: an overlooked shared character in the ascospores of a large monophyletic group within *Parmeliaceae* (*Xanthoparmelia* clade, *Lecanorales*) 685
Demircik, F. *see* Walker, C. *et al.*
den Bakker, H. C., Zuccarello G. C., Kuyper T. W., Noordeloos M. E. Phylogeographic patterns in *Leccinum* sect. *Scabra* and the status of the arctic-alpine species *L. rotundifoliae* 663
Denman, S. *see* Collins, C. M. *et al.*
Desjardin, D. E. *see* Wannathes, N. *et al.*
Desjardins, A. E. *see* Friel, C. J. *et al.*
Devi, U. K., Reineke A., Rao U. C. M., Reddy N. R. N., Khan A. P. A. AFLP and single-strand conformation polymorphism studies of recombination in the entomopathogenic fungus *Nomuraea rileyi* 716
Discher, S. *see* Hoffmann, K. *et al.*
Divakar, P. K., Amo De paz G., del Prado R., Esslinger T. L., Crespo A. Upper cortex anatomy corroborates phylogenetic hypothesis in species of *Physconia* (*Ascomycota, Lecanoromycetes*) 1311
Dixon, K. *see* Bonnardeaux, Y. *et al.*
Döbbeler, P. Ascomycetes on *Polytrichadelphus aristatus* (*Musci*) 1406
Dubois, M.-P. *see* Mondiet, N. *et al.*
Dugan, F. M. *see* Tadych, M. *et al.*
Dunn, C. E. *see* Borovička, J. *et al.*
Dynek, J. N. *see* Liu, Y.-C. *et al.*

Eastwood, D. C. *see* Wagemaker, M. J. M. *et al.*
Eberhardt, U. *see* Buyck, B. *et al.*
Eberhardt, U. *see* Taylor, A. F. S. *et al.*
Eid, R. A. *see* Hussein, M. R. *et al.*
Ekman, S. *see* Nœsborg, R. R. *et al.*
El Motawa, A.-M. *see* Hussein, M. R. *et al.*
Ericson, L. *see* van der Merwe, M. *et al.*
Eriksson, O. E. *see* Hibbett, D. S. *et al.*
Esslinger, T. L. *see* Divakar, P. K. *et al.*
Ewaze, J. O., Summerbell R. C., Scott J. A. Physiological studies of the warehouse staining fungus, *Baudoinia compniacensis* 1422

Fatehi, J. *see* Moročko, I. *et al.*
Favero-Longo, S. E., Girlanda M., Honegger R., Fubini B., Piervittori R. Interactions of sterile-cultured lichen-forming ascomycetes with asbestos fibres 473
Ferencová, Z. *see* Del Prado, R. *et al.*
Fournier, J. *see* Tang, A. M. C. *et al.*
Francis, S. A., Roden B. C., Adams M. J., Weiland J., Asher M. J. C. Comparison of ITS sequences from UK and North American sugar-beet powdery mildews and the designation of *Erysiphe betae* 204
Franco-Molano, A. E. *see* Baroni, T. J. *et al.*
Franich, R. *see* Vesentini, D. *et al.*
Fregeneda-Grandes, J. M., Rodríguez-Cadenas F., Carbajal-González M. T., Aller-Gancedo J. M. Detection of 'long-haired' *Saprolegnia* (*S. parasitica*) isolates using monoclonal antibodies 726
Friel, C. J., Desjardins A. E., Kirkpatrick S. C., Gordon T. R. Evidence for recombination and segregation of virulence to pine in a hybrid cross between *Gibberella circinata* and *G. subglutinans* 827
Frøkiœr, H. *see* Skottrup, P. *et al.*
Fu, H.-M. *see* Liou, G.-Y. *et al.*
Fubini, B. *see* Favero-Longo, S. E. *et al.*

Gadd, G. M. Geomycology: biogeochemical transformations of rocks, minerals, metals and radionuclides by fungi, bioweathering and bioremediation 3
Gamel, A.-M. *see* Hussein, M. R. *et al.*
Gams, W. *see* Hibbett, D. S. *et al.*
GAO, J.-h. *see* LI, C.-j. *et al.*
Gao, L., Sun M. H., Liu X. Z., Che Y. S. Effects of carbon concentration and carbon to nitrogen ratio on the growth and sporulation of several biocontrol fungi 87
Garcia, O., Macedo J. N., Tibúrcio R., Zaparoli G., Rincones J., Bittencourt L. M. C., Ceita G. O., Micheli F., Gesteira A., Mariano A. C., Schiavinato M. A., Medrano F. J., Meinhardt L. W., Pereira G. A. G., Cascardo J. C. M. Characterization of necrosis and ethylene-inducing proteins (NEP) in the basidiomycete *Moniliophthora perniciosa*, the causal agent of witches' broom in *Theobroma cacao* 443
Garcia, R. B., Pastor A., Mendoza L. Mapping of *Pythium insidiosum* hyphal antigens and ultrastructural features using TEM 1352
García-Jiménez, J. *see* Pérez-Sierra, A. *et al.*
García-Montero, L. G., Casermeiro M. Á., Manjón J. L., Hernando I. Impact of active soil carbonate and burn size on the capacity of the rockrose *Cistus laurifolius* to produce *Tuber melanosporum* carpophores in truffle culture 734
Garnica, S., Weiss M., Walther G., Oberwinkler F. Reconstructing the evolution of agarics from nuclear gene sequences and basidiospore ultrastructure 1019
Geiser, D. M. *see* Hibbett, D. S. *et al.*
Genney, D. R. *see* Anderson, I. C. *et al.*
Gesteira, A. *see* Garcia, O. *et al.*

Girlanda, M. *see* Favero-Longo, S. E. *et al.*
Gleason, F. H., Mozley-Standridge S. E., porter D., Boyle D. G., Hyatt A. D. Preservation of *Chytridiomycota* in culture collections 129
Göker, M. *see* Thines, M. *et al.*
Gordon, T. R. *see* Friel, C. J. *et al.*
Gorfer, M., Klaubauf S., Bandian D., Strauss J. *Cadophora finlandia* and *Phialocephala fortinii*: *Agrobacterium*-mediated transformation and functional GFP expression 850
Gosselin, A. *see* Pedneault, K. *et al.*
Green, J. R. *see* Newey, L. J. *et al.*
Green, S., Castlebury L. A. Connection of *Gnomonia intermedia* to *Discula betulina* and its relationship to other taxa in *Gnomoniaceae* 62
Greif, M. D., Currah R. S. Development and dehiscence of the cephalothecoid peridium in *Aporothielavia leptoderma* shows it belongs in *Chaetomidium* 70
Greslebin, A. G., Hansen E. M., Sutton W. *Phytophthora austrocedrae* sp. nov., a new species associated with *Austrocedrus chilensis* mortality in Patagonia (Argentina) 308
Griffith, G. W. *see* Hibbett, D. S. *et al.*
Grube, M., Hawksworth D. L. Trouble with lichen: the re-evaluation and re-interpretation of thallus form and fruit body types in the molecular era 1116
Guarro, J. *see* Stchigel, A. M. *et al.*
Gueidan, C. *see* Hibbett, D. S. *et al.*
Gueidan, C., Roux C., Lutzoni F. Using a multigene phylogenetic analysis to assess generic delineation and character evolution in *Verrucariaceae* (*Verrucariales*, *Ascomycota*). 1145
Gulati, A. *see* Vyas, P. *et al.*
Gutierrez Corona, J. F. *see* Serafín Muñoz, A. H. *et al.*

Hacer (Bakır) Sert, , Sümbül H., Sterflinger K. A new species of *Capnobotryella* from monument surfaces 1235
Hadley, G. Stephen Angus Hutchinson, 1914–2005: an appreciation 1249
Hajek, A. E. *see* Castrillo, L. A. *et al.*
Hallenberg, N., Nilsson R. H., Antonelli A., Wu S.-H., Maekawa N., Nordén B. The *Peniophorella praetermissa* species complex (*Basidiomycota*) 1366
Hansen, E. M. *see* Greslebin, A. G. *et al.*
Hansen, K. *see* Lœssøe, T. *et al.*
Hansen, K. *see* Perry, B. A. *et al.*
Hansen, P. V., Bianchinotti M. V., Rajchenberg M. Anatomy and cytology of *Taphrina entomospora* during infection of *Nothofagus* 592
Hardy, G. E. S. J. *see* Jayasekera, A. U. *et al.*
Hardy, G. S. J. *see* Andjic, V. *et al.*
Harvey, P. R. *see* Stodart, B. J. *et al.*
Hawksworth, D. L. *Mycological Research*: instructions and guidelines for authors 117
Hawksworth, D. L. *see* Grube, M. *et al.*
Hawksworth, D. L. *see* Hibbett, D. S. *et al.*
Hawksworth, D. L. New mycology textbooks. 1361
Hawksworth, D. L. Plant pathology 250
Hawksworth, D. L., laGreca S. New bottles for old wine: fruit body types, phylogeny, and classification 999
Hearty, S. *see* Skottrup, P. *et al.*
Hejgaard, J. *see* Skottrup, P. *et al.*
Hernando, I. *see* García-Montero, L. G. *et al.*
Hestmark, G. *see* Hibbett, D. S. *et al.*
Hibbett, D. S. *see* Kumar, T. K. A. *et al.*
Hibbett, D. S. After the gold rush, or before the flood? Evolutionary morphology of mushroom-forming fungi (*Agaricomycetes*) in the early 21st century. 1001
Hibbett, D. S., Binder M., Bischoff J. F., Blackwell M., Cannon P. F., Eriksson O. E., Huhndorf S., James T., Kirk P. M., Lücking R., Lumbsch T., Lutzoni F., Matheny P. B., McLaughlin D. J., Powell M. J., Redhead S., Schoch C. L., Spatafora J. W., Stalpers J. A., Vilgalys R., Aime M. C., Aptroot A., Bauer R., Begerow D., Benny G. L., Castlebury L. A., Crous P. W., Dai Y.-C., Gams W., Geiser D. M., Griffith G. W., Gueidan C., Hawksworth D. L., Hestmark G., Hosaka K., Humber R. A., Hyde K., Ironside J. E., Kõljalg U., Kurtzman C. P., Larsson K.-H., Lichtwardt R., Longcore J., Miądlikowska J., Miller A., Moncalvo J.-M., Mozley-Standridge S., Oberwinkler F., Parmasto E., Reeb V., Rogers J. D., Roux C., Ryvarden L., Sampaio J. P., Schüssler A., Sugiyama J., Thorn R. G., Tibell L., Untereiner W. A., Walker C., Wang Z., Weir A., Weiss M., White M. M., Winka K., Yao Y.-J., Zhang N. A higher-level phylogenetic classification of the *Fungi*. 509
Hillman, B. I. *see* Liu, Y.-C. *et al.*
Hills, A. E. *see* Taylor, A. F. S. *et al.*
Hirata, K., Kusaba M., Chuma I., Osue J., Nakayashiki H., Mayama S., Tosa Y. Speciation in *Pyricularia* inferred from multilocus phylogenetic analysis 799
Hoffmann, K., Discher S., Voigt K. Revision of the genus *Absidia* (*Mucorales*, *Zygomycetes*) based on physiological, phylogenetic, and morphological characters; thermotolerant *Absidia* spp. form a coherent group, *Mycocladiaceae* fam. nov. 1169
Hofstetter, V. *see* Baroni, T. J. *et al.*
Hofton, T. H. *see* Kauserud, H. *et al.*
Honegger, R. *see* Favero-Longo, S. E. *et al.*
Honegger, R., Zippler U. Mating systems in representatives of *Parmeliaceae*, *Ramalinaceae* and *Physciaceae* (*Lecanoromycetes*, lichen-forming ascomycetes) 424
Hong, S.-B. *see* Choi, Y.-J. *et al.*
Horak, E. *see* Baroni, T. J. *et al.*
Hosaka, K. *see* Hibbett, D. S. *et al.*
Huang, G. *see* Carris, L. M. *et al.*
Huhndorf, S. *see* Hibbett, D. S. *et al.*
Huhndorf, S. M. *see* Lumbsch, H. T. *et al.*
Humber, R. A. *see* Hibbett, D. S. *et al.*
Hussein, M. R., Musalam A. O., Assiry M. H., Eid R. A., El Motawa A.-M., Gamel A.-M. Histological and ultrastructural features of gastrointestinal basidiobolomycosis 926
Hyatt, A. D. *see* Gleason, F. H. *et al.*
Hyde, K. *see* Hibbett, D. S. *et al.*
Hyde, K. D. *see* Tang, A. M. C. *et al.*
Hyde, K. D. *see* Wang, H.-K. *et al.*

Ironside, J. E. *see* Hibbett, D. S. *et al.*
Ishiguro, K. *see* Kageyama, K. *et al.*

Jaffee, B. A. *see* Nguyen, V. *et al.*
James, T. *see* Hibbett, D. S. *et al.*
Jaroszuk-Ściseł, J. *see* Wolska-Mitaszko, B. *et al.*
Jarrold, S. A., Moore D., Potter U., Charnley A. K. The contribution of surface waxes to pre-penetration growth of an entomopathogenic fungus on host cuticle 240
Jayasekera, A. U., McComb J. A., Shearer B. L., Hardy G. E. S. J. *In planta* selfing and oospore production of *Phytophthora cinnamomi* in the presence of *Acacia pulchella*. 355
Jeewon, R. *see* Tang, A. M. C. *et al.*
Jeewon, R. *see* Wang, H.-K. *et al.*
Jelínek, E. *see* Borovička, J. *et al.*
Jeon, C.-O. *see* Ro, H.-S. *et al.*
Jetten, M. S. M. *see* Wagemaker, M. J. M. *et al.*
Jr., D. D. *see* Nagahashi, G. *et al.*
Juneja, P. *see* Castrillo, L. A. *et al.*
Justesen, A. F. *see* Skottrup, P. *et al.*

Kageyama, K., Senda M., Asano T., Suga H., Ishiguro K. Intra-isolate heterogeneity of the ITS region of rDNA in *Pythium helicoides* 416
Kärnefelt, I. *see* Westberg, M. *et al.*
Kauserud, H. *see* Stensrud, Ø. *et al.*

Kauserud, H., Hofton T. H., Sœtre G.-P. Pronounced ecological separation between two closely related lineages of the polyporous fungus *Gloeoporus taxicola*. 778
Khan, A. P. A. *see* Devi, U. K. *et al.*
Khodaparast, S. A., Niinomi S., Takamatsu S. Molecular and morphological characterization of *Leveillula* (*Ascomycota*: *Erysiphales*) on monocotyledonous plants 673
Kim, S. S. *see* Ro, H.-S. *et al.*
Kirk, P. M. *see* Hibbett, D. S. *et al.*
Kirkpatrick, S. C. *see* Friel, C. J. *et al.*
Klaubauf, S. *see* Gorfer, M. *et al.*
Koch, J. *see* Bonnardeaux, Y. *et al.*
Kohlmeyer, J. *see* Schoch, C. L. *et al.*
KOLAŘÍK, M. *see* ŠRŮTKA, P. *et al.*
Kolařík, M., Kostovčík M., Pažoutová S. Host range and diversity of the genus *Geosmithia* (*Ascomycota*: *Hypocreales*) living in association with bark beetles in the Mediterranean area 1298
Kõljalg, U. *see* Hibbett, D. S. *et al.*
Kom-un, S. *see* Takamatsu, S. *et al.*
Kostovčík, M. *see* Kolařík, M. *et al.*
Kotrba, P. *see* Borovička, J. *et al.*
Kozakiewicz, Z. Mycotoxins 998
Kumar, T. K. A., Celio G. J., Matheny P. B., McLaughlin D. J., Hibbett D. S., Manimohan P. Phylogenetic relationships of *Auriculoscypha* based on ultrastructural and molecular studies 268
Kurtzman, C. P. *see* Hibbett, D. S. *et al.*
Kusaba, M. *see* Hirata, K. *et al.*
Kusaba, M. *see* Luo, C.-X. *et al.*
Kuyper, T. W. *see* den Bakker, H. C. *et al.*

Lado, C. *see* Aguilar, M. *et al.*
laGreca, S. *see* Hawksworth, D. L. *et al.*
Landeras, E. *see* Pérez-Sierra, A. *et al.*
Larsson, K.-H. *see* Hibbett, D. S. *et al.*
Larsson, K.-H. Molecular phylogeny of *Hyphoderma* and the reinstatement of *Peniophorella* 186
Larsson, K.-H. Re-thinking the classification of corticioid fungi . . . 1040
Læssøe, T., Hansen K. Truffle trouble: what happened to the *Tuberales*? 1075
Lee, F.-L. *see* Liou, G.-Y. *et al.*
Lee, H.-S. *see* Ro, H.-S. *et al.*
Lee, T. S. *see* Ro, H.-S. *et al.*
León, M. *see* Pérez-Sierra, A. *et al.*
Leonardi, M. *see* Pacioni, G. *et al.*
LI, C.-j., GAO J.-h., NAN Z.-b. Interactions of *Neotyphodium gansuense*, *Achnatherum inebrians*, and plant-pathogenic fungi 1220
Li, H.-P. *see* Zhang, J.-B. *et al.*
Liang, Y., Chen H., Tang M., Shen S. Proteome analysis of an ectomycorrhizal fungus *Boletus edulis* under salt shock 939
Liao, Y.-C. *see* Zhang, J.-B. *et al.*
Lichtwardt, R. *see* Hibbett, D. S. *et al.*
Limkaisang, S. *see* Takamatsu, S. *et al.*
Lindner, D. L. *see* Baroni, T. J. *et al.*
Liou, G.-Y., Chen S.-R., Wei Y.-H., Lee F.-L., Fu H.-M., Yuan G.-F., Stalpers J. A. Polyphasic approach to the taxonomy of the *Rhizopus stolonifer* group 196
Liu, X. Z. *see* Gao, L. *et al.*
Liu, Y.-C., Dynek J. N., Hillman B. I., Milgroom M. G. Diversity of viruses in *Cryphonectria parasitica* and *C. nitschkei* in Japan and China, and partial characterization of a new chrysovirus species 433
Lodge, D. J. *see* Baroni, T. J. *et al.*
Longcore, J. *see* Hibbett, D. S. *et al.*
Lúcio Azevedo, J. *see* Cecília de Lima Fávaro, L. *et al.*
Lücking, R. *see* Hibbett, D. S. *et al.*
Lücking, R. *see* Lumbsch, H. T. *et al.*
Luiz Araújo, W. *see* Cecília de Lima Fávaro, L. *et al.*
Lumbsch, H. T., Huhndorf S. M. Whatever happened to the pyrenomycetes and loculoascomycetes? 1064
Lumbsch, H. T., Schmitt I., Lücking R., Wiklund E., Wedin M. The phylogenetic placement of *Ostropales* within *Lecanoromycetes* (*Ascomycota*) revisited 257
Lumbsch, H. T., Schmitt I., Mangold A., Wedin M. Ascus types are phylogenetically misleading in *Trapeliaceae* and *Agyriaceae* (*Ostropomycetidae, Ascomycota*) 1133
Lumbsch, T. *see* Hibbett, D. S. *et al.*
Lumyong, S. *see* Wannathes, N. *et al.*
Luo, C.-X., Yin L.-F., Ohtaka K., Kusaba M. The 1.6Mb chromosome carrying the avirulence gene *AvrPik* in *Magnaporthe oryzae* isolate 84R-62B is a chimera containing chromosome 1 sequences 232
Luo, J. *see* Carris, L. M. *et al.*
Lutz, M. *see* Bauer, R. *et al.*
Lutz, M. *see* Vánky, K. *et al.*
Lutzoni, F. *see* Gueidan, C. *et al.*
Lutzoni, F. *see* Hibbett, D. S. *et al.*

Macedo, J. N. *see* Garcia, O. *et al.*
Maček, P. *see* Berne, S. *et al.*
Maekawa, N. *see* Hallenberg, N. *et al.*
Maier, W., Wingfield B. D., Mennicken M., Wingfield M. J. Polyphyly and two emerging lineages in the rust genera *Puccinia* and *Uromyces* 176
Maldonado, S. *see* Wolski, E. *et al.*
Mangold, A. *see* Lumbsch, H. T. *et al.*
Manimohan, P. *see* Kumar, T. K. A. *et al.*
Manjón, J. L. *see* García-Montero, L. G. *et al.*
Manninen, O. *see* Serenius, M. *et al.*
Manning, R. J., Waters S. D., Callaghan A. A. Saprotrophy of *Conidiobolus* and *Basidiobolus* in leaf litter 1437
Maranhao, E. A. A. *see* Quesada-Moraga, E. *et al.*
Mariano, A. C. *see* Garcia, O. *et al.*
Martin, M. P. *see* Phosri, C. *et al.*
Martyn Ainsworth, A. *see* Parfitt, D. *et al.*
Maseko, B., Burgess T. I., Coutinho T. A., Wingfield M. J. Two new *Phytophthora* species from South African *Eucalyptus* plantations 1321
Matheny, P. B. *see* Hibbett, D. S. *et al.*
Matheny, P. B. *see* Kumar, T. K. A. *et al.*
Mayama, S. *see* Hirata, K. *et al.*
McComb, J. A. *see* Jayasekera, A. U. *et al.*
McGee, P. A. *see* Midgley, D. J. *et al.*
McLaughlin, D. J. *see* Hibbett, D. S. *et al.*
McLaughlin, D. J. *see* Kumar, T. K. A. *et al.*
Medrano, F. J. *see* Garcia, O. *et al.*
Meinhardt, L. W. *see* Garcia, O. *et al.*
Melanson, D. L. *see* Stodart, B. J. *et al.*
Mendoza, L. *see* Garcia, R. B. *et al.*
Mennicken, M. *see* Maier, W. *et al.*
Miądlikowska, J. *see* Hibbett, D. S. *et al.*
Micheli, F. *see* Garcia, O. *et al.*
Midgley, D. J., Saleeba J. A., Stewart M. I., Simpson A. E., McGee P. A. Molecular diversity of soil basidiomycete communities in northern-central New South Wales, Australia 370
Mihail, J. D., Bruhn J. N., Bonello P. Spatial and temporal patterns of morel fruiting 339
Milgroom, M. G. *see* Liu, Y.-C. *et al.*
Miller, A. *see* Hibbett, D. S. *et al.*
Mindell, R. A., Stockey R. A., Beard G., Currah R. S. *Margaretbarromyces dictyosporus* gen. sp. nov.: a permineralized corticolous ascomycete from the Eocene of Vancouver Island, British Columbia 680
Mohamed, Y. F. *see* Bardin, M. *et al.*
Moncalvo, J.-M. *see* Hibbett, D. S. *et al.*

Mondiet, N., Dubois M.-P., Selosse M.-A. The enigmatic *Squamanita odorata* (*Agaricales*, Basidiomycetes) is parasitic on *Hebeloma mesophaeum* 599
Moore, D. *see* Jarrold, S. A. *et al.*
Moreno, G., Contu M., Ortega A., Platas G., Peláez F. Molecular phylogenetic studies show *Omphalina giovanellae* represents a new section of *Clitopilus* (*Agaricomycetes*) 1399
Moročko, I., Fatehi J. Molecular characterization of strawberry pathogen *Gnomonia fragariae* and its genetic relatedness to other *Gnomonia* species and members of *Diaporthales* . 603
Morrissey, J. P. *see* Collins, C. M. *et al.*
Moss, M. O. Mycotoxins 997
Mostert, L. *see* Réblová, M. *et al.*
Mozley-Standridge, S. *see* Hibbett, D. S. *et al.*
Mozley-Standridge, S. E. *see* Gleason, F. H. *et al.*
Muñoz, J. A. *see* Taylor, A. F. S. *et al.*
Murray, P. G. *see* Collins, C. M. *et al.*
Musalam, A. O. *see* Hussein, M. R. *et al.*

Nagahashi, G., Jr. D. D. Separated components of root exudate and cytosol stimulate different morphologically identifiable types of branching responses by arbuscular mycorrhizal fungi 487
Nakamori, T., Suzuki A. Defensive role of cystidia against *Collembola* in the basidiomycetes *Russula bella* and *Strobilurus ohshimae* 1345
Nakayashiki, H. *see* Hirata, K. *et al.*
NAN, Z.-b. *see* LI, C.-j. *et al.*
Nœsborg, R. R., Ekman S., Tibell L. Molecular phylogeny of the genus *Lecania* (*Ramalinaceae*, lichenized *Ascomycota*) . 581
Navas-Cortés, J. A. *see* Quesada-Moraga, E. *et al.*
Neate, S. M. *see* Stodart, B. J. *et al.*
Newey, L. J., Caten C. E., Green J. R. Rapid adhesion of *Stagonospora nodorum* spores to a hydrophobic surface requires pre-formed cell surface glycoproteins 1255
Nguyen, V., Bastow J. L., Jaffee B. A., Strong D. R. Response of nematode-trapping fungi to organic substrates in a coastal grassland soil 856
Nicolaisen, M. *see* Skottrup, P. *et al.*
Nicot, P. C. *see* Bardin, M. *et al.*
Niinomi, S. *see* Khodaparast, S. A. *et al.*
Nilsson, R. H. *see* Hallenberg, N. *et al.*
Niño-vega, G., Pérez-silva C., San-blas G. The actin gene in *Paracoccidioides brasiliensis*: organization, expression and phylogenetic analyses 363
Nishmura, I. *see* Walker, C. *et al.*
Noordeloos, M. E. *see* den Bakker, H. C. *et al.*
Nordén, B. *see* Hallenberg, N. *et al.*
Nuytinck, J., Verbeken A. Species delimitation and phylogenetic relationships in *Lactarius* section *Deliciosi* in Europe . . 1285

O'Kennedy, R. *see* Skottrup, P. *et al.*
Oberwinkler, F. *see* Bauer, R. *et al.*
Oberwinkler, F. *see* Garnica, S. *et al.*
Oberwinkler, F. *see* Hibbett, D. S. *et al.*
Oberwinkler, F. *see* Thines, M. *et al.*
Ohtaka, K. *see* Luo, C.-X. *et al.*
Op den Camp, H. J. M. *see* Wagemaker, M. J. M. *et al.*
Ortega, A. *see* Moreno, G. *et al.*
Ortiz-Urquiza, A. *see* Quesada-Moraga, E. *et al.*
Osue, J. *see* Hirata, K. *et al.*

Paccola-Meirelles, L. D. *see* Cecília de Lima Fávaro, L. *et al.*
Pacioni, G., Leonardi M., Aimola P., Ragnelli A. M., Rubini A., Paolocci F. Isolation and characterization of some mycelia inhabiting *Tuber* ascomata 1450
Paolocci, F. *see* Pacioni, G. *et al.*
Parfitt, D., Martyn Ainsworth A., Simpson D., Rogers H. J., Boddy L. Molecular and morphological discrimination of stipitate hydnoids in the genera *Hydnellum* and *Phellodon* 761
Parkin, P. I. *see* Anderson, I. C. *et al.*
Parmasto, E. *see* Hibbett, D. S. *et al.*
Pastor, A. *see* Garcia, R. B. *et al.*
Pažoutová, S. *see* Kolařík, M. *et al.*
PAŽOUTOVÁ, S. *see* ŠRŮTKA, P. *et al.*
Pedneault, K., Angers P., Avis T. J., Gosselin A., Tweddell R. J. Fatty acid profiles of polar and non-polar lipids of *Pleurotus ostreatus* and *P. cornucopiae* var. '*citrino-pileatus*' grown at different temperatures 1228
Peláez, F. *see* Moreno, G. *et al.*
Pereira, G. A. G. *see* Garcia, O. *et al.*
Pérez-Sierra, A., Landeras E., León M., Berbegal M., García-Jiménez J., Armengol J. Characterization of *Fusarium circinatum* from *Pinus* spp. in Northern Spain 832
Pérez-silva, C. *see* Niño-vega, G. *et al.*
Perry, B. A., Hansen K., Pfister D. H. A phylogenetic overview of the family *Pyronemataceae* (*Ascomycota*, *Pezizales*). 549
Peterson, S. W. *see* Posada, F. *et al.*
Pfister, D. H. *see* Perry, B. A. *et al.*
Phosri, C., Martín M. P., Sihanonth P., Whalley A. J. S., Watling R. Molecular study of the genus *Astraeus* 275
Piątek, M. *see* Bauer, R. *et al.*
Piervittori, R. *see* Favero-Longo, S. E. *et al.*
Platas, G. *see* Moreno, G. *et al.*
Pohleven, F. *see* Berne, S. *et al.*
Pohleven, J. *see* Berne, S. *et al.*
Poinar, G. O., Buckley R. Evidence of mycoparasitism and hyper-mycoparasitism in early cretaceous amber 503
porter, D. *see* Gleason, F. H. *et al.*
Posada, F., Aime M. C., Peterson S. W., Rehner S. A., Vega F. E. Inoculation of coffee plants with the fungal entomopathogen *Beauveria bassiana* (*Ascomycota*: *Hypocreales*) 748
Potter, U. *see* Jarrold, S. A. *et al.*
Powell, M. J. *see* Hibbett, D. S. *et al.*
Priest, M. J. *see* Wang, B. *et al.*
Pszeniczna, K. *see* Wolska-Mitaszko, B. *et al.*

Qu, B. *see* Zhang, J.-B. *et al.*
Quesada-Moraga, E., Navas-Cortés J. A., Maranhao E. A. A., Ortiz-Urquiza A., Santiago-Álvarez C. Factors affecting the occurrence and distribution of entomopathogenic fungi in natural and cultivated soils 947

Ragnelli, A. M. *see* Pacioni, G. *et al.*
Rahi, P. *see* Vyas, P. *et al.*
Rajchenberg, M. *see* Hansen, P. V. *et al.*
Řanda, Z. *see* Borovička, J. *et al.*
Rao, U. C. M. *see* Devi, U. K. *et al.*
Réblová, M., Mostert L. *Romellia* is congeneric with *Togninia*, and description of *Conidiotheca* gen. nov. for one species of this genus with polysporous asci 299
Réblová, M., Seifert K. A. A new fungal genus, *Teracosphaeria*, with a phialophora-like anamorph (*Sordariomycetes*, *Ascomycota*). 287
Rebolj, K. *see* Berne, S. *et al.*
Reddy, N. R. N. *see* Devi, U. K. *et al.*
Redhead, S. *see* Hibbett, D. S. *et al.*
Reeb, V. *see* Hibbett, D. S. *et al.*
Rehner, S. A. *see* Posada, F. *et al.*
Reineke, A. *see* Devi, U. K. *et al.*
Rincones, J. *see* Garcia, O. *et al.*
Ro, H.-S., Kim S. S., Ryu J. S., Jeon C.-O., Lee T. S., Lee H.-S. Comparative studies on the diversity of the edible mushroom *Pleurotus eryngii*: ITS sequence analysis, RAPD fingerprinting, and physiological characteristics 710
Roden, B. C. *see* Francis, S. A. *et al.*
Rodríguez-Cadenas, F. *see* Fregeneda-Grandes, J. M. *et al.*
Rogers, H. J. *see* Parfitt, D. *et al.*
Rogers, J. D. *see* Hibbett, D. S. *et al.*
Rossman, A. Y. *see* Sogonov, M. V. *et al.*
Roux, C. *see* Gueidan, C. *et al.*

Roux, C. *see* Hibbett, D. S. *et al.*
Rubini, A. *see* Pacioni, G. *et al.*
Ryu, J. S. *see* Ro, H.-S. *et al.*
Ryvarden, L. *see* Hibbett, D. S. *et al.*

Sage-palloix, A.-M. *see* Bardin, M. *et al.*
Saito, M. *see* Walker, C. *et al.*
Saleeba, J. A. *see* Midgley, D. J. *et al.*
Sampaio, J. P. *see* Hibbett, D. S. *et al.*
San-blas, G. *see* Niño-vega, G. *et al.*
Santiago-Álvarez, C. *see* Quesada-Moraga, E. *et al.*
Sato, Y. *see* Takamatsu, S. *et al.*
Sœtre, G.-P. *see* Kauserud, H. *et al.*
Sawaki, H. *see* Walker, C. *et al.*
Schiavinato, M. A. *see* Garcia, O. *et al.*
Schmitt, I. *see* Lumbsch, H. T. *et al.*
Schoch, C. L. *see* Hibbett, D. S. *et al.*
Schoch, C. L., Sung G.-H., Volkmann-Kohlmeyer B., Kohlmeyer J., Spatafora J. W. Marine fungal lineages in the *Hypocreomycetidae* 154
Schumacher, T. *see* Stensrud, Ø. *et al.*
Schüßler, A. *see* Walker, C. *et al.*
Schüssler, A. *see* Hibbett, D. S. *et al.*
Scott, E. S. *see* Stodart, B. J. *et al.*
Scott, J. A. *see* Ewaze, J. O. *et al.*
Seifert, K. A. *see* Réblová, M. *et al.*
Selosse, M.-A. *see* Mondiet, N. *et al.*
Senda, M. *see* Kageyama, K. *et al.*
Sepčić, K. *see* Berne, S. *et al.*
Serafin Muñoz, A. H., Wrobel K., Gutierrez Corona J. F., Wrobel K. The protective effect of selenium inorganic forms against cadmium and silver toxicity in mycelia of *Pleurotus ostreatus* 626
Serenius, M., Manninen O., Wallwork H., Williams K. Genetic differentiation in *Pyrenophora teres* populations measured with AFLP markers 213
Seviour, R. *see* Chen, J. *et al.*
Shalchian-Tabrizi, K. *see* Stensrud, Ø. *et al.*
Shearer, B. L. *see* Jayasekera, A. U. *et al.*
Shen, S. *see* Liang, Y. *et al.*
Shin, H.-D. *see* Choi, Y.-J. *et al.*
Sihanonth, P. *see* Phosri, C. *et al.*
Silar, P. *see* Coppin, E. *et al.*
Simonini, G. *see* Taylor, A. F. S. *et al.*
Simpson, A. E. *see* Midgley, D. J. *et al.*
Simpson, D. *see* Parfitt, D. *et al.*
Singh, A. P. *see* Vesentini, D. *et al.*
Sivasithamparam, K. *see* Bonnardeaux, Y. *et al.*
Skottrup, P., Frøkiœr H., Hearty S., O'Kennedy R., Hejgaard J., Nicolaisen M., Justesen A. F. Monoclonal antibodies for the detection of *Puccinia striiformis* urediniospores 332
Sogonov, M. V., Castlebury L. A., Rossman A. Y., White J. F. The type species of *Apiognomonia, A. veneta*, with its *Discula* anamorph is distinct from *A. errabunda* 693
Sonnenberg, A. *see* Berne, S. *et al.*
Spatafora, J. W. *see* Hibbett, D. S. *et al.*
Spatafora, J. W. *see* Schoch, C. L. *et al.*
Spiegel, F. W. *see* Aguilar, M. *et al.*
Spring, O. *see* Thines, M. *et al.*
ŠRŮTKA, P., PAŽOUTOVÁ S., KOLAŘÍK M. *Daldinia decipiens* and *Entonaema cinnabarina* as fungal symbionts of *Xiphydria* wood wasps 224
Stalpers, J. A. *see* Hibbett, D. S. *et al.*
Stalpers, J. A. *see* Liou, G.-Y. *et al.*
Stchigel, A. M., Guarro J. A reassessment of cleistothecia as a taxonomic character 1100
Steffenson, B. J. *see* Zhong, S. *et al.*
Stensrud, Ø., Schumacher T., Shalchian-Tabrizi K., Svegården I. B., Kauserud H. Accelerated nu-rDNA evolution and profound AT bias in the medicinal fungus *Cordyceps sinensis* 409
Sterflinger, K. *see* Hacer (Bakır) Sert, *et al.*
Steward, D. *see* Vesentini, D. *et al.*
Stewart, M. I. *see* Midgley, D. J. *et al.*
Stockey, R. A. *see* Mindell, R. A. *et al.*
Stockinger, H. *see* Walker, C. *et al.*
Stodart, B. J., Harvey P. R., Neate S. M., Melanson D. L., Scott E. S. Genetic variation and pathogenicity of anastomosis group 2 isolates of *Rhizoctonia solani* in Australia 891
Strauss, J. *see* Gorfer, M. *et al.*
Strong, D. R. *see* Nguyen, V. *et al.*
Suga, H. *see* Kageyama, K. *et al.*
Sugiyama, J. *see* Hibbett, D. S. *et al.*
Suliman, M. E. *see* Bardin, M. *et al.*
Sümbül, H. *see* Hacer (Bakır) Sert, *et al.*
Summerbell, R. C. *see* Ewaze, J. O. *et al.*
Sun, M. H. *see* Gao, L. *et al.*
Sung, G.-H. *see* Schoch, C. L. *et al.*
Sutton, W. see Greslebin, A. G. *et al.*
Suzuki, A. *see* Nakamori, T. *et al.*
Svegården, I. B. *see* Stensrud, Ø. *et al.*

Tadych, M., Bergen M., Dugan F. M., White J. F. Evaluation of the potential role of water in spread of conidia of the *Neotyphodium* endophyte of *Poa ampla* 466
Takamatsu, S. *see* Khodaparast, S. A. *et al.*
Takamatsu, S., Braun U., Limkaisang S., Kom-un S., Sato Y., Cunnington J. H. Phylogeny and taxonomy of the oak powdery mildew *Erysiphe alphitoides sensu lato* 809
Tang, A. M. C., Fournier J., Jeewon R., Hyde K. D. Phylogenetic relationships of *Nemania plumbea* sp. nov. and related taxa based on ribosomal ITS and RPB2 sequences 392
Tang, M. *see* Liang, Y. *et al.*
Taylor, A. F. S., Hills A. E., Simonini G., Muñoz J. A., Eberhardt U. *Xerocomus silwoodensis* sp. nov., a new species within the European *X. subtomentosus* complex 403
Teeri, T. T. *see* Collins, C. M. *et al.*
Thines, M., Göker M., Oberwinkler F., Spring O. A revision of *Plasmopara penniseti*, with implications for the host range of the downy mildews with pyriform haustoria 1377
Thomsen, L. *see* Castrillo, L. A. *et al.*
Thorn, R. G. *see* Hibbett, D. S. *et al.*
Thrall, P. H. *see* van der Merwe, M. *et al.*
Tibell, L. *see* Hibbett, D. S. *et al.*
Tibell, L. *see* Nœsborg, R. R. *et al.*
Tibúrcio, R. *see* Garcia, O. *et al.*
Torres, M. S., White J. F., Bischoff J. F. *Hypocrella panamensis* sp. nov. (*Clavicipitaceae*, *Hypocreales*): a new species infecting scale insects on *Piper carrilloanum* in Panama 317
Tosa, Y. *see* Hirata, K. *et al.*
Tuohy, M. G. *see* Collins, C. M. *et al.*
Turk, T. *see* Berne, S. *et al.*
Tweddell, R. J. *see* Pedneault, K. *et al.*

Untereiner, W. A. *see* Hibbett, D. S. *et al.*

van der Drift, C. *see* Wagemaker, M. J. M. *et al.*
van der Merwe, M., Ericson L., Walker J., Thrall P. H., Burdon J. J. Evolutionary relationships among species of *Puccinia* and *Uromyces* (Pucciniaceae, Uredinales) inferred from partial protein coding gene phylogenies 163
Van Griensven, L. J. L. D. *see* Wagemaker, M. J. M. *et al.*
Vánky, K. *see* Bauer, R. *et al.*
Vánky, K., Lutz M. Revision of some *Thecaphora* species (*Ustilaginomycotina*) on *Caryophyllaceae* 1207
Vega, F. E. *see* Posada, F. *et al.*
Verbeken, A. *see* Buyck, B. *et al.*
Verbeken, A. *see* Nuytinck, J. *et al.*
Vesentini, D., Steward D., Singh A. P., Ball R., Daniel G., Franich R. Chitosan-mediated changes in cell wall composition, morphology and ultrastructure in two wood-inhabiting fungi 875

Vestberg, M. *see* Walker, C. *et al.*
Vidal-Cros, A. *see* Choquer, M. *et al.*
Vidic, I. *see* Berne, S. *et al.*
Vilgalys, R. *see* Hibbett, D. S. *et al.*
Voigt, K. *see* Hoffmann, K. *et al.*
Volkmann-Kohlmeyer, B. *see* Schoch, C. L. *et al.*
Vyas, P., Rahi P., Chauhan A., Gulati A. Phosphate solubilization potential and stress tolerance of *Eupenicillium parvum* from tea soil 931

Wagemaker, M. J. M., Eastwood D. C., van der Drift C., Jetten M. S. M., Burton K., Van Griensven L. J. L. D., Op den Camp H. J. M. Argininosuccinate synthetase and argininosuccinate lyase: two ornithine cycle enzymes from *Agaricus bisporus* 493
Wagemaker, M. J. M., Eastwood D. C., Welagen J., van der Drift C., Jetten M. S. M., Burton K., Van Griensven L. J. L. D., Op den Camp H. J. M. The role of ornithine aminotransferase in fruiting body formation of the mushroom *Agaricus bisporus* 909
Walker, C. *see* Hibbett, D. S. *et al.*
Walker, C., Vestberg M., Demircik F., Stockinger H., Saito M., Sawaki H., Nishmura I., Schüßler A. Molecular phylogeny and new taxa in the *Archaeosporales* (*Glomeromycota*): *Ambispora fennica* gen. sp. nov., *Ambisporaceae* fam. nov., and emendation of *Archaeospora* and *Archaeosporaceae* 137
Walker, J. *see* van der Merwe, M. *et al.*
Wallwork, H. *see* Serenius, M. *et al.*
Walther, G. *see* Garnica, S. *et al.*
Wang, B., Priest M. J., Davidson A., Brubaker C. L., Woods M. J., Burdon J. J. Fungal endophytes of native *Gossypium* species in Australia 347
Wang, H.-K., Aptroot A., Crous P. W., Hyde K. D., Jeewon R. The polyphyletic nature of *Pleosporales*: an example from *Massariosphaeria* based on rDNA and RBP2 gene phylogenies 1268
Wang, L., Zhang X.-M., Zhuang W.-Y. *Penicillium macrosclerotiorum*, a new species producing large sclerotia discovered in south China 1242
Wang, Z. *see* Hibbett, D. S. *et al.*
Wannathes, N., Desjardin D. E., Lumyong S. Mating studies, new species, and new reports of *Marasmius* from northern Thailand 985
Waters, S. D. *see* Manning, R. J. *et al.*
Watling, R. *see* Phosri, C. *et al.*
Wedin, M. *see* Lumbsch, H. T. *et al.*
Wei, Y.-H. *see* Liou, G.-Y. *et al.*
Weiland, J. *see* Francis, S. A. *et al.*
Weir, A. *see* Hibbett, D. S. *et al.*
Weiss, M. *see* Garnica, S. *et al.*
Weiss, M. *see* Hibbett, D. S. *et al.*
Welagen, J. *see* Wagemaker, M. J. M. *et al.*
Westberg, M., Arup U., Kärnefelt I. Phylogenetic studies in the *Candelariaceae* (lichenized *Ascomycota*) based on nuclear ITS DNA sequence data 1277
Whalley, A. J. S. *see* Phosri, C. *et al.*
White, J. F. *see* Sogonov, M. V. *et al.*
White, J. F. *see* Tadych, M. *et al.*
White, J. F. *see* Torres, M. S. *et al.*
White, M. M. *see* Hibbett, D. S. *et al.*
Wiklund, E. *see* Lumbsch, H. T. *et al.*
Williams, K. *see* Serenius, M. *et al.*
Wingfield, B. D. *see* Maier, W. *et al.*
Wingfield, M. J. *see* Andjic, V. *et al.*
Wingfield, M. J. *see* Maier, W. *et al.*
Wingfield, M. J. *see* Maseko, B. *et al.*
Winka, K. *see* Hibbett, D. S. *et al.*
Wolska-Mitaszko, B., Jaroszuk-Ścisel J., Pszeniczna K. Isoforms of trehalase and invertase of *Fusarium oxysporum* 456
Wolski, E., Maldonado S., Daleo G., Andreu A. Cell wall α-1,3-glucans from a biocontrol isolate of *Rhizoctonia*: immunocytolocalization and relationship with α-glucanase activity from potato sprouts 976
Woods, M. J. *see* Wang, B. *et al.*
Wrobel, K. *see* Serafín Muñoz, A. H. *et al.*
Wu, S.-H. *see* Hallenberg, N. *et al.*

Xu, Y.-B. *see* Zhang, J.-B. *et al.*

Yao, Y.-J. *see* Hibbett, D. S. *et al.*
Yin, L.-F. *see* Luo, C.-X. *et al.*
Yuan, G.-F. *see* Liou, G.-Y. *et al.*

Zaparoli, G. *see* Garcia, O. *et al.*
Zhang, J.-B., Li H.-P., Dang F.-J., Qu B., Xu Y.-B., Zhao C.-S., Liao Y.-C. Determination of the trichothecene mycotoxin chemotypes and associated geographical distribution and phylogenetic species of the *Fusarium graminearum* clade from China 967
Zhang, N. *see* Hibbett, D. S. *et al.*
Zhang, X.-M. *see* Wang, L. *et al.*
Zhao, C.-S. *see* Zhang, J.-B. *et al.*
Zhong, S., Steffenson B. J. Molecular karyotyping and chromosome length polymorphism in *Cochliobolus sativus* 78
Zhuang, W.-Y. *see* Wang, L. *et al.*
Zippler, U. *see* Honegger, R. *et al.*
Zuccarello, G. C. *see* den Bakker, H. C. *et al.*